



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HIKINA WHAKATUTUKI

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Spanbild NZ Limited

Coleridge single storey 4 bedroom dwelling

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault
General Manager
Building System Performance Branch

12 December 2013

Date Issued

A10012

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval.

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.mbie.govt.nz

Schedule for certificate number A10012

Permitted Variations:

Foundation Design:
No variation

Floor Plan:
No variation

Roof Design:
No variation

Cladding Design:
No variation

Building Design Reference to Drawings

Floor Plan	Sheet 1
Elevations	Sheet 2
Bracing Plan	Sheet 3
Electrical Plan	Sheet 4
Subfloor Plan	Sheet 5
Flooring Layout	Sheet 6
Drainage Plan	Sheet 7
Cross Section	Sheet 8
Internal Details	Sheet 9
Details 1	Sheet 10
Details 2	Sheet 11
Purlin & Lintel Fixings	Sheet 12
Truss Layout	Sheet 13
Pile Fixings	Sheet 14
Door and Window Schedule	Sheet 15

Certificate Holder

Spanbild NZ Limited
112 Waterloo Road, Hornby,
Christchurch
Company number: 320297
Certificate number: A10012

Issued by

Ministry of Business, Innovation and
Employment
PO Box 1473, Wellington 6140
Website: www.mbie.govt.nz
Email: multiproof@mbie.govt.nz
Date issued: 12 December 2013

Restricted Building Work

Certificates of Work received from:

Dean Murphy BP 108601

- Primary Structure
- External Moisture Management Systems

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. Mirror images of the floor plan are permitted
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites within earthquake zones 1 & 2 as defined in NZS 3604:2011
 - b. Snow Loading: Maximum roof snow load 0.5kPa or ground snow load 0.9kPa to AS/NZS 1170.3:2003
 - c. Wind zones: Up to and including high as defined in NZS 3604:2011
 - d. Climate zones: Up to and including 3 as defined in the New Zealand Building Code
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Roofing finish: Colorsteel Endura or Colorsteel Maxx
 - g. Corrosion zone: Up to and including Zone D as defined in NZS 3604:2011, except where adverse microclimatic factors e.g. geothermal