



Ministry of Business,
Innovation & Employment



Building & Housing

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Brobuild Limited

Option 2

Single Storey 2 Bedroom Transportable Dwelling—92m²

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault
Deputy Chief Executive
Building and Housing Group
Ministry of Business, Innovation and Employment

2 October 2012

Date Issued

A10038

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's Building and Housing Group website www.dbh.govt.nz

Schedule for certificate number A10038

Permitted Variations:

Floor Plan:
None

Cladding:
None

Roof Design:
None

Joinery:
None

Building Design Reference to Drawings

Floor Plan	[Sheet 1]
Elevations	[Sheet 2]
Cross Section	[Sheet 3]
Bracing Plan	[Sheet 4]
Shadowclad Window Head Detail	[SC027]
Shadowclad Window Jamb Detail	[SC029]
Shadowclad Window Sill Detail	[SC031]
Shadowclad External Corner Detail	[SC021]
Shadowclad Horizontal Joint Detail	[SC015]
Shadowclad Meterbox Head Detail	[SC033A]
Shadowclad Meterbox Jamb Detail	[SC033B]

Typical Construction Details—Refer to Online Register

Certificate Holder

Brobuild Limited
PO Box 928
Christchurch 8140
Company number: 985728
Certificate number: A10038

Issued by

Building and Housing Group
Ministry of Business, Innovation
and Employment
PO Box 10 279, Wellington
Website: www.dbh.govt.nz
Email: multiproof@dbh.govt.nz

Restricted Building Work

Certificates of Work received
from:

Keith Ussher BP105398
• Primary Structure
• External Moisture
Management Systems

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. Mirror images of the floor plan are permitted.
4. Foundations are not included in this National Multiple-Use Approval.
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites up to and including Earthquake Zone 2 in subsoil classes A to E in accordance with NZS 3604:2011
 - b. Snow Loading: Maximum ground snow load 2.0kPa in accordance with NZS 3604:2011
 - c. Wind zones: Limited to sites with an Ultimate wind speed of 44m/s (High) in accordance with NZS 3604:2011
 - d. Climate zones: Up to and including Zone 3
 - e. Corrosion zone: Up to and including Zone C (NZS 3604:2011) except where adverse microclimatic factors