



Ministry of Business,
Innovation & Employment

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Neil Colliver

Bach-Baby

Single storey three bedroom kitset dwelling

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Adrian Regnault
General Manager
Building System Performance Branch
Ministry of Business, Innovation and Employment

9 April 2013

Date Issued

A10063

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.dbh.govt.nz

Schedule for certificate number A10063

Permitted Variations:

Bathroom:

Shower can be replaced with bath

Deck:

Deck can be extended in length to finish outside Bedroom 1

Roof:

Pitched Roof can be replaced with Monopitch Roof

Joinery:

Windows to Bedrooms 1 and 3 can be replaced with ranch sliders

Building Design Reference to Drawings

001	GA Shower option	[16-02-2013]	020	North Elevation	[06-03-2013]	408	Details—Wall Fixings	[06-03-2013]
002	GA Bath option	[16-02-2013]	020M	North Elevation	[16-02-2013]	409	Details—Window Sections	[06-03-2013]
003	Window & Door Plan	[06-03-2013]	021	South Elevation	[06-03-2013]	410	Details—Steps	[16-02-2013]
003M	Window & Door Plan	[16-02-2013]	021M	South Elevation	[16-02-2013]	411	Details—Bath	[16-02-2013]
004	Piles	[16-02-2013]	022	East Elevation	[06-03-2013]	412	Details—Shower	[16-02-2013]
004M	Piles	[16-02-2013]	022M	East Elevation	[16-02-2013]	413	Details—Beam & Roof	
005	3D Piles	[16-02-2013]	023	West Elevation	[06-03-2013]		Joint	[14-03-2013]
005M	3D Piles	[16-02-2013]	023M	West Elevation	[16-02-2013]	416	HW Cylinder	[16-02-2013]
006	Bearers	[16-02-2013]	030	Fixings—Moderate		417	Kitchen GA	[06-03-2013]
006M	Bearers	[16-02-2013]		& High wind Zones	[06-03-2013]	419	Beam/Post Details	[14-03-2013]
007	3D Bearers	[16-02-2013]	031	Fixings—Very High		420	Beam/Post support Details	[16-02-2013]
007M	3D Bearers	[16-02-2013]		Wind Zones	[06-03-2013]	422	Drainage Details	[14-03-2013]
008	Joist Plan	[16-02-2013]	301	Section A & B	[06-03-2013]	601	3D Isometrics	[16-02-2013]
008M	Joist Plan	[16-02-2013]	301M	Section A & B	[16-02-2013]	601M	3D Isometrics	[16-02-2013]
009	3D Joists	[16-02-2013]	302	Section C & D	[16-02-2013]	602	Internal Isometrics	[16-02-2013]
009M	3D Joists	[16-02-2013]	302M	Section C & D	[16-02-2013]	602M	Internal Isometrics	[16-02-2013]
011	Sole Plates	[16-02-2013]	303	Section E & F	[16-02-2013]	604	Internal Isometrics 2	[16-02-2013]
012	3D Sole Plates	[16-02-2013]	303M	Section E & F	[16-02-2013]	604M	Internal Isometrics 2	[16-02-2013]
013	Flooring Plan	[16-02-2013]	401	Details—Piles	[16-02-2013]			
014	3D Flooring	[16-02-2013]	402	Details—Floor	[14-03-2013]			
016	Roof	[16-02-2013]	403	Details—Windows & Roof	[06-03-2013]			
016M	Roof	[16-02-2013]	404	Details—Panel Sole Detail	[16-02-2013]			
017	Electrical	[06-03-2013]	405	Details—Doors	[16-02-2013]			
019	Fire Routes & Distances	[16-02-2013]	406	Details—Doors 2	[16-02-2013]			
019M	Fire Routes & Distances	[16-02-2013]	407	Details—Wardrobe Sliding Door	[16-02-2013]			

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. Mirror images of the floor plan are permitted
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Suitable for all Seismic zones in New Zealand (including Chatham Islands) but excluding area within $z = 0.55$ contour in fig 3.4 of NZS 1170.5:2004
 - b. Snow Loading: Maximum ground snow load of 2.0kPa in accordance with NZS 3604:2011
 - c. Wind zones: Limited to sites with an Ultimate Wind Speed of 50m/s (Very High) in accordance with NZS 3604:2011
 - d. Climate zones: Up to and including Zone 3
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Exposure zone: Up to and including Zone D to NZS 3604:2011 except where adverse microclimatic factors (e.g. geothermal)

Certificate Holder

Neil Colliver
227 Parewanui Road, RD1, Bulls
4894
Company number: 1905571
Certificate number: A10063

Issued by

Ministry of Business, Innovation
and Employment
PO Box 10 279, Wellington
Website: www.dbh.govt.nz
Email: multiproof@mbie.govt.nz
Date issued: 9 April 2013

Restricted Building Work

Certificates of Work received from:

- Neil Colliver** **BP 121530**
- External Moisture Management Systems
 - Primary Structure
- Kevin O'Connor** **CPEng 63469**
- Primary Structure