



Department of
Building and Housing
Te Tari Kaupapa Whare

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

Spanbild NZ Limited

Collingwood single storey 1 bedroom dwelling

3 row pile foundation using Superclad roll-formed Colorsteel cladding with corrugated Colorsteel roofing

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

David Kelly
Deputy Chief Executive
Department of Building and Housing

19 May 2011

Date Issued

A1009

Certificate Number

*The approved plans and specifications are those held by the Department

**See Schedule for specific drawing references, permitted variations and conditions of approval.

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. Check the Department's website www.dbh.govt.nz for the current status of this National Multiple-Use Approval.

Schedule for certificate number A1009

Permitted Variations:

Foundation Design:

No variation

Floor Plan:

No variation

Roof Design:

No variation

Cladding Design:

No variation

Building Design Reference to Drawings

Floor Plan	Sheet 1
Elevations	Sheet 2
Bracing and Electrical Plan	Sheet 3
Details	Sheet 4
Cladding Details	Sheet 5
Cross Section	Sheet 6
Internal Details	Sheet 7
Purlin and Lintel Fixings	Sheet 8
Truss Plan	Sheet 9
Drainage Plan	Sheet 10
Subfloor	Sheet 11
Subfloor fixings	Sheet 12
Wetfloor Shower Detail	Sheet 13
Door and Window Schedule	Sheet 14

Certificate Holder

Spanbild NZ Limited
112 Waterloo Road, Hornby,
Christchurch
Company number: 320297
Certificate number: A1009

Issued by

Department of Building and Housing
PO Box 10 279, Wellington
Website: www.dbh.govt.nz
Email: multiproof@dbh.govt.nz
Date issued: 19 May 2011

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. More than one Permitted Variation may be used.
4. Mirror images of the floor plan are permitted
5. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Earthquake zone A as defined in NZS 3604:1999
 - b. Snow Loading: Maximum roof snow load 0.5kPa or ground snow load 0.9kPa to AS/NZS 1170.3:2003
 - c. Wind zones: Up to and including high as defined in NZS 3604:1999
 - d. Climate zones: Up to and including 3 as defined in the New Zealand Building Code
 - e. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document
 - f. Roofing finish: Colorsteel Endura
 - g. Corrosion zone: Seaspray zone as defined in NZS 3604:1999, except where adverse microclimatic factors e.g. geothermal