



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HIKINA WHAKATUTUKI

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

EasyBuild Limited

**Kuratau Design
3 Bedroom Dwelling - Mono-pitch roof**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.


Paul Hobbs

Manager Building System Assurance
Consumer Protection and Standards Branch
Ministry of Business, Innovation and Employment

15 June 2018
Date Issued

A10159 (Rev 1 issued 8 January 2019)
Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.building.govt.nz

Schedule for certificate number A10159

Permitted Variations: (Also refer to Allowable Substitutions Document)

Foundations:

Pile foundations can be replaced with concrete slab or Ribraft concrete slab.

Cladding:

- 1) Pinus Bevel back Weatherboards can be replaced with Linea Weatherboards or Rusticated Weatherboards or Shadowclad or Pallside uPVC Bevel back Weatherboards
- 2) Shadowclad can be replaced with Pinus Bevel back Weatherboards or Linea Weatherboards or Rusticated Weatherboards or Weathertex Architectural Panel

Roofing:

Corrugated Colorsteel can be replaced with Gerard ColorTile metal tiles.

Floor Plan:

Bathroom, Kitchen and Laundry fittings and layout can be rearranged within the room or deleted.

Aluminum Windows and Doors:

Standard Aluminum Joinery can be replaced with Fletcher Smartfit Joinery System

Building Design Reference to Drawings

Architectural Drawings 23/03/2018

Sheets	1	Floor Plan
	3 - 12	Elevations
	12 - 14	Drainage
	15	Hot Water Cylinder
	16 - 22	Foundations
	23 - 26	Roofing
	27	Electrical and Exterior Joinery Schedule
	28 - 29	Floor Finishes
	30	Surface Finishes
	31 - 33	Typical Sections
	34 - 49	Cladding Details
	50	Access Details
	51 - 54	Deck Details
	55 - 58	Deck / Cladding Details
	59	Dummy Wall Details
	60	Bracing Panel Fixing Details
	61	Typical Panel Construction

Panel Drawings

Sheets 2 - 14

Engineering Drawings

Sheet	3-01	
	3-02	
	3-03	
	3-04	
	3-05	
	3-06	
	3-07	
	3-08	
	9-01 Rev B	

Engineering Drawings

Sheet	4-01	
	4-02	
	4-03	
	4-04	
	4-05	
	4-06	
	4-07	
	4-08	
	4-09	

Pile foundation 27/02/2018

	Typical Portal Cross Section
	End Portal Elevation
	Engineering Details
	Engineering Details
	Engineering Details
	Seismic Exclusion Zone Diagram
	2.0kPa Snow Zone
	Wall Panel Fixing
	Firewall / Intertency Construction Details

Concrete slab & Ribraft slab 27/02/2018

	Typical Portal Cross Section
	End Portal Elevation
	Engineering Details
	Engineering Details
	Engineering Foundation Details
	Engineering Ribraft Foundation Details
	Seismic Exclusion Zone Diagram
	2.0kPa Snow Zone
	Wall Panel Fixing

Other Documents

- Allowable Substitutions Document dated 6 August 2018
- EasyBuild Site Inspection Checklist for Structural Connections Concrete Floor
- EasyBuild Site Inspection Checklist for Structural Connections Timber Floor

Certificate Holder

EasyBuild Ltd
PO Box 17140
Karori Wellington 6147
Company number: 4493138
Certificate number: A10159

Issued by

Ministry of Business, Innovation and Employment
PO Box 1473, Wellington 6140
Website:
www.building.govt.nz/multiproof
Email: multiproof@mbie.govt.nz
Date issued: 15 June 2018

Restricted Building Work

Certificates of Work received from:

A J Syngé CPEng 62314

- Primary Structure

Michael Buckthought LBP 122007

- External Moisture Management Systems

G J Struthers CPEng 158044

- Fire Safety Systems

This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
2. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
3. More than one Permitted Variation may be used. The requirements for a dwelling must be maintained. Deck options described in the Deck Drawings are permitted.
4. Mirror images and flipped images of the floor plan and roof plan are permitted.
5. Protection from fire is to be reassessed in context of location on site at the Building Consent stage.
6. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites in earthquake zones 1 to 3, and in all subsoil classes as defined in NZS 3604:2011. Also part of earthquake zone 4 - refer to Engineering Drawing sheet 3-06 or 4-07
 - b. Snow Loading: Limited to sites with a maximum ground snow load of 2kPa and in zone N4 maximum altitude of 200m and zone N5 maximum altitude of 300m as defined in NZS 3604:2011.
 - c. Wind zones: Limited to sites up to and including Very High wind zone as defined in NZS 3604:2011.
 - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009.
 - e. Exposure zone: Up to and including Zone D as defined in NZS 3604:2011. Except where adverse microclimatic factors (e.g. geothermal areas)
 - f. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document