



**MINISTRY OF BUSINESS,
INNOVATION & EMPLOYMENT**
HIKINA WHAKATUTUKI

MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

CP Homes Ltd

**Relocatable Dwelling Unit
Container conversion**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications* and subject to the conditions** specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Paul Hobbs
Manager Building System Assurance
Consumer Protection and Standards Branch
Ministry of Business, Innovation and Employment

20 July 2018

Date Issued

A10166

Certificate Number

*The approved plans and specifications are those held by the Ministry

**See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website www.building.govt.nz/multiproof

Schedule for certificate number A10166

Permitted Variations:

None

Refer to the Ministry's website www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10166-cp-homes-limited for the approved drawings and documents. Check for current version of drawings and documents.

Building Design Reference to Drawings

Ardern Architectural Ltd Container Conversion Ref: 1384

Floor Plan, Elevations, Section	1 of 4
Details	2 of 4
Details	3 of 4
Details	4 of 4

Certificate Holder

C. P. Homes Ltd
158 Judge Richardson Drive RD 4
Drury, Auckland 2584
Company number: 6265490
Certificate number: A10166

Issued by

Ministry of Business, Innovation and
Employment
PO Box 1473, Wellington 6140
Website:
www.building.govt.nz/multiproof
Email: multiproof@mbie.govt.nz
Date issued: 20 July 2018

Restricted Building Work

Certificates of Work received from:

David Ardern BP 111743
• External Moisture Management
Systems

This National Multiple-Use Approval is subject to the following conditions:

1. Subject to the Permitted Variations, this National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule.
3. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
4. Mirror images of the floor plan are permitted.
5. Foundations are not included as part of this approval.
6. The building is to be located no closer than 1.0m from the relevant boundary.
7. The building must be connected to a potable water supply and must be connected to a sewer or foul water disposal system.
8. This National Multiple-Use Approval can only be used where the following conditions apply:
 - a. Seismic zones: Limited to sites in earthquake zones 1 and 2, and in subsoil classes A to D as defined in NZS 3604:2011.
 - b. Snow Loading: Limited to sites with a maximum ground snow load of 1.0kPa as defined in NZS 3604:2011.
 - c. Wind zones: Limited to sites with an Ultimate wind speed of 50m/s (Very High) as defined in NZS 3604:2011.
 - d. Climate zones: Limited to sites up to and including Zone 3 as defined in NZS 4218:2009.
 - e. Exposure zone: Limited to sites up to and including Zone D as defined in NZS 3604:2011. Except where adverse microclimatic factors (e.g. geothermal areas)