



**MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT**  
HIKINA WHAKATUTUKI

# MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

*Housing NZ Corporation*  
*One Level Standard Plans*

**1 Bedroom Dwelling  
RH — BN1 Design**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Simon Thomas  
Manager Building System Assurance  
Consumer Protection and Standards Branch  
Ministry of Business, Innovation and Employment

24 July 2019  
Date Issued

A10189  
Certificate Number

\*The approved plans and specifications are those held by the Ministry

\*\*See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website [www.building.govt.nz](http://www.building.govt.nz)

## Schedule for certificate number A10189

### Permitted Variations:

#### Foundations:

Reinforced concrete waffle raft on the ground floor slab can be replaced with timber pile foundation system

#### Cladding:

Horizontal timber bevel back weatherboards can be replaced with horizontal fibre cement weatherboards

#### Roof:

None

### Building Design Reference to Drawings

Refer to the Ministry's website [www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10189-housingnz](http://www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10189-housingnz) for the approved drawings and documents. Check for current version of drawings and documents.

Architectural Drawings - Context Architects 17185  
 RH-BN1-A1001 Rev 01 Cover Page  
 RH-BN1-A1002 Rev 01 General Notes  
 RH-BN1-A1003 Rev 01 House Typologies  
 RH-BN1-A1101 Rev 01 Ground Floor GA Plan  
 RH-BN1-A1102 Rev 01 Roof Plan  
 RH-BN1-A1201 Rev 01 Elevations  
 RH-BN1-A1202 Rev 01 Elevations  
 RH-BN1-A1301 Rev 01 Sections  
 RH-BN1-A1302 Rev 01 Sections  
 RH-BN1-A3101 Rev 01 Slab Setout  
 RH-BN1-A3201 Rev 01 Ground Floor Setout Plan  
 RH-BN1-A4601 Rev 02 Openings Schedule

A4572 W/B Fibre - Window Details  
 A4574 W/B Fibre - Sliding Door Details  
 A4580 W/B Fibre - Sliding Door Details - No RAB  
 A4582 W/B Fibre - Wall base - CONC w/RAB W/B  
 A4583 Fibre - Wall base - TIMBER w/RAB  
 A4585 W/B Fibre - Wall Base Details  
 A4586 W/B Fibre - Level Threshold Details  
 A4587 W/B Fibre - Typical Cladding Details  
 A4588 W/B Fibre - Typical Wall Penetrations  
 A4589 W/B Fibre - INT & EXT Corners  
 A4591 W/B Fibre - Vertical Junctions w/RAB  
 A4592 W/B Fibre - Wall base to level deck w/RAB  
 A4593 W/B Fibre - Exterior Door Jamb w/ RAB  
 A4863 Roof - Ridge  
 A4868 Roof - Roof Penetration  
 A4924 Insulated Slab Edge - with Openings  
 A4925 Sliding Door - Timber and Concrete Sill  
 A4927 Front Door - Timber and Concrete Sill  
 A4933 Insulated Slab Edge  
 A4935 Regional Screen  
 A4942 Insulated Slab Edge - with Slot Drain  
 A5401 Vinyl Covling Details  
 A5402 Vinyl Covling Details  
 A5403 FWG Details  
 A5404 Flooring Details  
 A5405 Wet Area Details Misc.  
 A5407 Shower Tray Detail  
 A5408 Shower Threshold Detail  
 A5702 Accessible Bathroom 1 Bed (A & AN shown, B & BN handed)  
 A5703 Non-Accessible Bathroom 1 Bed (A & AN shown, B & BN handed)  
 A5741 Accessible Kitchen 1 Bed (AN shown & BN handed)  
 Truss Layout and Fixing Information - Buildable Layouts  
 Architectural Specification - Context Architects 17185  
 Performance Specification dated 20/06/2019

Structural Drawings - Kirk Roberts Consulting 1830020 - HN2C  
 Regional Housing Programme - Matrix  
 M1 0 Rev B Structural Cases Matrix  
 M2 0 Rev A Durability Matrix  
 Case 1 Case 2 Case 3  
 S0 00 Rev C General Notes & Specification  
 S0 01 Rev C Typical NZS-3604 Details  
 S0 10 Rev C Typical Timber Sub-Floor Details  
 S0 20 Rev C Typical Set-out and Rib-Raft Details (Case 1 & 2)  
 S0 21 Rev C Typical Pipe Penetration Details (Case 1 & 2)  
 S1 10 Rev C Pile Set-out Plan  
 S1 11 Rev C Floor Plans  
 S2 01 Rev C Wall Bracing & Roof Framing Plans  
 S4 01 Rev C Framing Details  
 S5 01 Rev A Specific Details  
 S5 02 Rev A Specific Details  
 S5 03 Rev A Specific Details  
 S5 04 Rev A Specific Details  
 S5 05 Rev A Specific Details  
 S5 06 Rev A Specific Details  
 S5 07 Rev A Specific Details  
 Structural Specification - Kirk Roberts Consulting 1830020  
 dated July 2018  
 Electrical Drawings - 22 Degrees Building Services 4782/2018  
 E010 Rev A Legend & General Notes  
 E011 Rev A Power Single Line Diagram  
 E012 Rev A Communications Schematics  
 E105 Rev A Lighting, Power & ICT Layout  
 Electrical Specification - 22 Degrees Building Services dated  
 October 2018 Job No: 4782 Issue Rev B

Hydraulic Drawings - 22 Degrees Building Services  
 4782/2018  
 H005 Rev A Drawing Symbol Sheet  
 H105 Rev A Sanitary Waste & Stormwater Layouts  
 H205 Rev A Water Supply Layout  
 Hydraulic Services Specification - 22 Degrees Building  
 Services dated July 2018 Job No. 4782 Issue Rev A  
 Mechanical Drawings - 22 Degrees Building Services  
 4782/2018  
 M000 Rev A Drawing Symbol Sheet  
 M005 Rev A Schedules and Details  
 M105 Rev A Mechanical Layout

#### All Rev 01:

A4501 W/B Timber - Eave  
 A4504 W/B Timber - Barge  
 A4513 W/B Timber - w/RAB - Barge  
 A4518 W/B Timber - w/RAB - Eave  
 A4520 W/B Timber - Window Details w/ Facing  
 A4522 W/B Timber - Window Details w/ RAB  
 A4524 W/B Timber - Sliding Door Details  
 A4530 W/B Timber - Sliding Door Details - No RAB  
 A4532 W/B Timber - Wall base - CONC w/RAB  
 A4533 W/B Timber - Wall base - TIMBER w/RAB  
 A4535 W/B Timber - Wall Base Details  
 A4536 W/B Timber - Level Threshold Details  
 A4537 W/B Timber - Typical Cladding Details  
 A4538 W/B Timber - Typical Wall Penetrations  
 A4539 W/B Timber - INT & EXT Corners  
 A4541 W/B Timber - Typical Cladding Details  
 A4542 W/B Timber - Wall base to level deck w/RAB  
 A4543 W/B Timber - Exterior Door Jamb w/ RAB  
 A4551 W/B Fibre - Eave  
 A4554 W/B Fibre - Barge  
 A4583 W/B Fibre - w/RAB - Barge  
 A4588 W/B Fibre - w/RAB - Eave  
 A4570 W/B Fibre - Window Details w/ Facing

### Certificate Holder

Housing NZ Corporation  
 PO Box 2628  
 Wellington 6140  
 Company number: N/A  
 Certificate number: A10189

### Issued by

Ministry of Business, Innovation and  
 Employment  
 PO Box 1473, Wellington 6140  
 Website:  
[www.building.govt.nz/multiproof](http://www.building.govt.nz/multiproof)  
 Email: [multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)  
 Date issued: 24 July 2019

### Restricted Building Work

Certificates of Work received from:

Jan Jaber Studnicka  
 CPEng 1013092  
 • Primary Structure  
 Scott Cracknell  
 Registered Architect No 3102  
 • External Moisture Management  
 Systems

### This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
2. Minor variations in accordance with Building (Minor Variations) Regulations 2009 are permitted.
3. This National Multiple-Use Approval can only be used where the following conditions apply:
  - a. Wind zone: Limited to sites up to and including Very High wind zone as defined in NZS 3604:2011.
  - b. Seismic zone: Sites in all earthquake zones and in all subsoil classes as defined in NZS 3604:2011.
  - c. Exposure zone: Up to and including Zone D as defined in NZS 3604:2011. Except where adverse microclimatic factors (e.g. geothermal areas)
  - d. Climate zones: Up to and including Zone 3 as defined in NZS 4218:2009.
  - e. Snow Loading: Limited to sites with a maximum ground snow load of 2.2kPa as defined in NZS 3604:2011.
  - f. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document