



**MINISTRY OF BUSINESS,  
INNOVATION & EMPLOYMENT**  
HIKINA WHAKATUTUKI

# MultiProof Certificate

This is to certify that a National Multiple-Use Approval has been issued to:

## *Kāinga Ora - Homes and Communities* *Duplex Standard Plans*

**3 + 1 Bedroom Duplex  
K7 - Design**

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified:

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.

Simon Thomas  
National Manager Building System Assurance  
Consumer Protection and Standards Branch  
Ministry of Business, Innovation and Employment

2 November 2020  
Date Issued

A10464  
Certificate Number

\*The approved plans and specifications are those held by the Ministry

\*\*See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation. For the current status of this National Multiple-Use Approval, check the Ministry's website [www.building.govt.nz](http://www.building.govt.nz)

## Schedule for certificate number A10464

### Permitted Variations:

#### Foundations:

Raft slab can be replaced with SED foundations

#### Cladding:

Fibre cement horizontal weatherboards can be replaced with timber horizontal weatherboards

#### Roof:

None

### Building Design Reference to Drawings

Refer to the Ministry's website [www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10464-kāingaora](http://www.building.govt.nz/building-code-compliance/product-assurance-and-multiproof/multiproof/multiproof-register/a10464-kāingaora) -for the approved drawings and documents. Check for current version of drawings and documents.

Architectural Drawings - Context Architects 17086  
 K7-A1001 Rev 10 Cover Page  
 K7-A1002 Rev 10 General Notes  
 K7-A1003 Rev 10 House Typologies  
 K7-A1101 Rev 10 Ground Floor GA Plan  
 K7-A1102 Rev 10 First Floor GA Plan  
 K7-A1103 Rev 10 Roof Plan  
 K7-A1201 Rev 10 Elevations  
 K7-A1202 Rev 10 Elevations  
 K7-A1301 Rev 10 Sections  
 K7-A1302 Rev 10 Sections  
 K7-A1303 Rev 10 Sections  
 K7-A3101 Rev 10 Slab Setout  
 K7-A3201 Rev 10 Ground Floor Setout Plan  
 K7-A3202 Rev 10 First Floor Setout Plan  
 K7-A4601 Rev 10 Openings Schedule

Architectural Details - Context Architects 17086  
 All Rev 10

Architectural Specification - Context Architects 17086  
 Performance Specification

Truss Layout and Fixing Information - Buildable Layouts 13714

Structural Drawings - Blueprint P18-004 - Kāinga Ora -  
 Homes & Communities - K Typology  
 S000 Rev B Cover Sheet  
 S001 Rev B General Notes  
 S100 Rev B Raft Slab Foundation  
 S110 Rev B Plan - Timber Subfloor Pile Layout  
 S111 Rev B Braced Piles & Anchor Piles  
 S112 Rev B Joist & Bearer Layout  
 S120 Rev B Wall Framing & Bracing - Ground Floor  
 S121 Rev B Wall Framing & Bracing - Ground Floor  
 S125 Rev B Wall Framing & Bracing - First Floor  
 S150 Rev B Midfloor  
 S401 Rev B Raft Slab  
 S402 Rev B Raft Slab  
 S405 Rev B Raft Slab  
 S410 Rev B Timber Subfloor  
 S411 Rev B Timber Subfloor  
 S412 Rev B Timber Subfloor  
 S420 Rev B Details - Deck & Post Footing  
 S601 Rev B Details - Walls Gib Brace Fixings  
 S602 Rev B Details - Walls Gib Brace Fixings  
 S603 Rev B Details - Walls Gib Brace Fixings  
 S610 Rev B Details - Walls Lintels  
 S611 Rev B Details - Walls Lintels  
 S701 Rev B Details - Midfloor  
 S702 Rev B Details - Midfloor  
 S710 Rev B Details - Midfloor Verandah Roof

Structural Specification - Blueprint P18-004 Rev 02 dated  
 10 July 2020

Electrical Drawings - 22 Degrees Building Services  
 4714/2019

Electrical Specification - 22 Degrees Building Services  
 dated June 2018 Job No: 4714

Hydraulic Drawings - 22 Degrees Building Services  
 4714/2019

Hydraulic Services Specification - 22 Degrees Building  
 Services dated June 2018 Job No: 4714

Mechanical Drawings - 22 Degrees Building Services  
 4714/2019

### Certificate Holder

Kāinga Ora – Homes and  
 Communities  
 PO Box 2628  
 Wellington 6140  
 Company number: N/A  
 Certificate number: A10464

### Issued by

Ministry of Business, Innovation and  
 Employment  
 PO Box 1473, Wellington 6140  
 Website:  
[www.building.govt.nz/multiproof](http://www.building.govt.nz/multiproof)  
 Email: [multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)  
 Date issued: 2 November 2020

### Restricted Building Work

Certificates of Work received from:

Rohan Leslie Pollard  
 CPEng 228756  
 ● Primary Structure  
 Scott Cracknell  
 Registered Architect No 3102  
 ● External Moisture Management  
 Systems  
 ● Fire Safety Systems

### This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval includes the Permitted Variations set out in this Schedule. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
2. Minor variations to the design as defined in the Building (Minor Variations) Regulations 2009 are permitted; and must be assessed at the building consent stage.
3. This National Multiple-Use Approval can only be used where the following conditions apply:
  - a. Wind zone: Limited to sites up to and including High wind zone as defined in Table 5.4 of NZS 3604:2011. Excludes lee zones as shown on Figure 5.1 of NZS 3604: 2011
  - b. Seismic zone: Limited to sites up to and including earthquake zone 1 as defined in Figure 5.4 of NZS 3604: 2011.
  - c. Site subsoil classification: Limited to Class A, Class B and Class C as determined in accordance with 5.3.3 of NZS 3604:2011.
  - d. Exposure zone: Limited to sites up to and including Zone D as defined in 4.2.3.3 of NZS 3604: 2011. Excludes all microclimatic conditions.
  - e. Climate zone: Limited to sites up to and including Zone 2 as defined in Appendix B of NZS 4218:2009
  - f. Snow Loading: Limited to a maximum 1kPa ground snow load.as defined in NZS 3604: 2011.
  - g. Ground bearing capacity: Good ground as defined in B1 Structure Compliance Document