

Approval no: A10501

Original issued date: 11 June 2021

# MultiProof Approval

This is to certify that a National Multiple-Use Approval has been issued to:

## PurePods Limited

PurePod Glass Cabin

Tourist accommodation unit and ancillary building

under Section 30F of the Building Act 2004 in respect of the approved plans and specifications\* and subject to the conditions\*\* specified.

Details of this National Multiple-Use Approval have been entered in the register of National Multiple-Use Approvals in accordance with Section 273 of the Building Act 2004.



**Simon Thomas**

Head of Building System  
Delivery & Assurance

Building & Tenancy Branch  
Te Whakatairanga Service  
Delivery, Ministry of Business,  
Innovation and Employment

\* The approved plans and specifications are those held by the Ministry

\*\* See Schedule for specific drawing references, permitted variations and conditions of approval

Note: The National Multiple-Use Approval referred to in this certificate is subject to change, suspension or revocation.  
For the current status of this National Multiple-Use Approval, check the Ministry's website [www.building.govt.nz](http://www.building.govt.nz)

**Approval no: A10501**

Original issue date: 11 June 2021

#### Approval holder

##### PurePods Limited

Level 2, Building 7, 295 Blenheim Road,  
Upper Riccarton, Christchurch 8041  
Company number: 1948747  
NZBN: 9429033358529

#### Issued by

##### Ministry of Business, Innovation and Employment

PO Box 1473, Wellington 6140  
[www.building.govt.nz/multiproof](http://www.building.govt.nz/multiproof)  
[multiproof@mbie.govt.nz](mailto:multiproof@mbie.govt.nz)

#### Restricted Building Work

Certificates of Work received from:

**Cory Bedford CPEng 238134**  
\* Primary Structure

**Antoinette Thomas LBP 110224**  
\*External Moisture Management System

#### Classified Use (Building Code Clause A1 )

Communal Residential:  
Community Service

# MultiProof Approval

Schedule for approval number A10501

#### Permitted Variations:

##### Foundations

Steel piles and timber piles can be replaced with Surefoot foundation

#### Building Design Reference to Drawings

Refer to the Ministry's website [www.building.govt.nz/building-code-compliance/product-assurance-and-certification-schemes/multiproof/multiproof-register/a10501](http://www.building.govt.nz/building-code-compliance/product-assurance-and-certification-schemes/multiproof/multiproof-register/a10501) for the approved drawings and documents.

1. Architectural Plans - 2. Project Specification - 3. Constructure Structural Engineering - 4. Surefoot Foundation - 5. Electrical and Plumbing Schematics - 6. Specification - by Constructure Limited - 7. Product Installation Information

#### This National Multiple-Use Approval is subject to the following conditions:

1. This National Multiple-Use Approval may only be used in its entirety, and does not apply to any one part of the plans and specifications.
2. If there are any changes to the approved plans and specifications this National Multiple-Use Approval does not apply.
3. Minor variations to the design as defined in the Building (Minor Variations) Regulations 2009 are permitted; and must be assessed at the building consent stage.
4. Mirror images and flipped or handed images of the floor plan and roof plan are permitted.
5. The building must not be located within 1m of a relevant boundary.
6. This National Multiple-Use Approval can only be used where the following conditions apply:
  - a. Wind zone: Up to and including Extra High as defined in NZS 3604:2011.
  - b. Seismic zone: Up to and including zone 3 and in all subsoil classes as defined in NZS 3604:2011.
  - c. Exposure zone: Limited to sites up to and including Zone D as defined in NZS 3604: 2011. Excludes all microclimatic conditions.
  - e. Climate zone: Limited to sites up to and including Zone 3 as defined in NZS 4218:2009\*
  - f. Snow Loading: Limited to a maximum 2.5kPa ground snow load.as defined in NZS 3604: 2011.
  - g. Ground bearing capacity: To be confirmed on site by a recognised expert and incorporated into the foundation design at the building consent stage.

#### Exclusions

- Clause H1 'Energy efficiency' (Objective H1.1 applies only when the energy is sourced from a *network utility operator* or a depletable energy resource).

\* Note that the Fifth Edition Amendment 1 of the Acceptable Solution H1/AS1 and Verification Method H1/VM1 no longer cite this standard.