

Certificate no: CMNZ30162

Version: A

Original issue date: 15/02/2024

Version date: 15/02/2024

Renewal Date: 15/02/20247

1. Certificate Holder Details



Niagara Sawmilling LTD
74 Kennington Road, Invercargill, 9871, New Zealand
exports@niagara.nz
+64 3 230 3030
<https://www.niagara.nz>

2. Product Certification Body

Global-Mark Pty Ltd
Trading as Global-Mark
57 Willis Street, Wellington, 6011
customer.service@global-mark.co.nz
+64 9 889 0622
www.global-mark.co.nz

Complaints: The complaints process for this certificate can be found here:
www.global-mark.co.nz/complaints

Global-Mark Managing Director.

Herve Michoux



Product Certificate

Niagara Treated Cavity Battens

3. Description of Building Method or Product

Niagara Treated Cavity Battens are 44mm by 20mm, finger jointed, Vacsol® Azure treated radiata pine cavity battens for use where Hazard Class H3.2 or less applies

4. Intended use of Building Method or Product

Niagara Treated Cavity Battens are intended to be used as battens in external wall application to help form the drainage cavity

5. New Zealand Building Code Provisions

The System if designed, used, installed and maintained in accordance with the conditions of this Certificate will comply with or contribute to compliance with the following performance provisions of the NZ Building Code:

Clause B2 DURABILITY:	Performance B2.3.1(b) 15 years
Clause E2 EXTERNAL MOISTURE:	Performance E2.3.2, E2.3.5, E2.3.6 and E2.3.7
Clause F2 HAZARDOUS BUILDING MATERIALS:	Performance F2.3.1

6. Conditions and Limitations of Use

- Niagara Treated Cavity Battens suitable for use in drained cavities complying with either:
 - 9.1.8 of E2/AS1 third edition, Amendment 10 dated 5 November 2020.or
 - 9.1.8 of. NASH Building envelope solution: 2019- Light Steel Framed Buildings
- Niagara Treated Cavity Battens must be used vertically
- The fixings for the cladding must be through the Niagara Treated Cavity Battens to the framing.

7. Health and Safety Information

Standard industry safety practices and manufacturer safety requirements as detailed in the technical literature including the applicable SDS must be observed at all times.

8. Basis for Certification



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>. The purpose of construction site audits is to confirm the practicability of installing the product; and to confirm the appropriateness and accuracy of installation instructions. In issuing this certificate, Global-Mark has relied on the independent expert and/or laboratory advise or reports. In placing the CodeMark mark on the product/system, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

Certificate no: CMNZ30162

Version: A

Original issue date: 15/02/2024

Version date: 15/02/2024

Renewal Date: 15/02/2027

The certification decision is based on independent technical review(s) of test report(s), engineering opinion(s) and other documented evidence(s), factory audit(s) and site review(s)

Code Clause	Compliance pathway	Evidence
B2 DURABILITY	Alternative solution based on testing, assessment and comparison to Acceptable Solution	1
E2 EXTERNAL MOISTURE	Acceptable Solution E2/AS1, Third Edition, Amendment 10, 5 November 2020. Acceptable Solution E2/AS4, First Edition – effective 28 November 2019	2
F2 HAZARDOUS BUILDING MATERIALS	Alternative solution based on expert judgement	3

9. Supporting Documentation for Certification

Rev	Author	Description	Date and/or Revision
1.*	LONZA Wood Protection	Arxada H3.2 Vacsol® Azure LOSP - Codemark Treatment Protocol	V4, 24 November 2023
2.	Niagara	Niagara Batten Producer Statement	December 2023
3.	Niagara	SDS-Niagara Treated Cavity Battens	November 2023

* These documents were provided commercial in confidence and are not publicly available

10. Supporting Information About Description (Optional)

Nil

11. Supporting Information About Intended Use (Optional)

Nil

12. Supporting Information About Conditions and Limitations of Use (Optional)



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>. The purpose of construction site audits is to confirm the practicability of installing the product; and to confirm the appropriateness and accuracy of installation instructions. In issuing this certificate, Global-Mark has relied on the independent expert and/or laboratory advice or reports. In placing the CodeMark mark on the product/system, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

Product Certificate

Niagara Treated Cavity Battens



Certificate no: CMNZ30162

Version: A

Original issue date: 15/02/2024

Version date: 15/02/2024

Renewal Date: 15/02/2027

Nil

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>. The purpose of construction site audits is to confirm the practicability of installing the product; and to confirm the appropriateness and accuracy of installation instructions. In issuing this certificate, Global-Mark has relied on the independent expert and/or laboratory advice or reports. In placing the CodeMark mark on the product/system, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.